


8 7 6 5 4 3 2 1

D


C

B

A



**D4297-1 BEARPAW**




△ C

**D4297-3 BEARPAW**

RELEASED  
2012-07-23  
WMD


C	REVISED DRAWING FORMAT, ADDED D4297-3; ADDED DIMENSION 7.52 (D1-2)	AP	12.07.13
B	BOTTOM CHAMFER CHANGED FROM 0.125" TO 0.250", ZN B8-2; TOP CHAMFER CHANGED FROM .125" TO 0.062", ZN C8-2 (REF PAR 11-80)	XDF	11.10.25
A	NEW ISSUE	RF	10.12.15
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	ASS	DRAWING NO.	REV. C
MFG. APPR.	at	<b>D4297</b>	SHEET 1 OF 3
APPROVED	WJ	TITLE	SCALE
DE APPR.	HA	<b>BEARPAW</b>	NTS
DATE	12.07.13	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMWB10)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D4297-1" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 8.18 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D4297-1-REVC.STP"

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	AP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	ASS	DRAWING NO.	REV. C
MFG. APPR.	ad	D4297	SHEET 2 OF 3
APPROVED	MD	TITLE	SCALE
DE APPR.	TH	BEARPAW	NTS
DATE	12.07.13	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



# NOTES:

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMWB10)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D4297-3" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 8.67 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D4297-3-REVC.STP"

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	ASS	DRAWING NO.	REV. C
MFG. APPR.	AP	<b>D4297</b>	SHEET 3 OF 3
APPROVED	MD	TITLE	SCALE
DE APPR.	MD	<b>BEARPAW</b>	NTS
DATE	12.07.13	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	